


“Webregister” is opened as a full screen window in PCKasse. The webpage can interact with PCKasse through a set of functions and thereby act as a self-service cash register.



This way you can build your own self-service cash register styled to match your store colours, webpage or even change the mood to match the time of day.

Technical description:

Webregister API 3 is based on communicating with Pckasse the entire time and uses the order object to show the cart. This will result in correct prices for the current customer, and the possibility to delete individual order lines. This is also a better solution for weighing.

Use JavaScript window.external object to communicate with Pckasse from the webpage.

Functions:

- `LastError()` *As String*
 - *Contains last error after a function returns false*
- `SetCustomerNo(value As Integer)` *As Boolean*
- `SetDoNotMergeLines(value As Boolean)` *As Boolean*
- `SetAllowPartPayment(value As Boolean)` *As Boolean*
- `GetPckasseVersion()` *As String*
- `GetOrder()` *As Order*
- `RemoveOrderLine(index As Integer)` *As Boolean*
- `SetEmployeeId(value As Integer)` *As Boolean*
- `AddOrderLine(articleNo As String)` *As Boolean*
- `AddOrderLineWithSerialNumber(ArticleNo As String, SerialNumber As String)` *As Boolean*
- `SetOrderLineCount(index As Integer, value As Decimal)` *As Boolean*
- `SetOrderLineGrossPrice(index As Integer, value As Decimal)` *As Boolean*
- `SetOrderLineInfo(index As Integer, value As String)` *As Boolean*
- `SetReference(value As String)` *As Boolean*
- `SetAlternativeTax(value As Boolean)` *As Boolean*
- `SetAllowPartPayment(value As Boolean)` *As Boolean*
- `Clear()` *As Boolean*
- `Pay()` *As Boolean*
- `PayByGiftcard(GiftCardNo As String)` *As Boolean*
- `PayByMobile()` *As Boolean*
- `SaveToOrderTemplate(value As Integer)` *As Boolean*
- `GetFavouriteArticleInfos(groupNo As Integer)` *As FavouritePages*
- `GetTopXArticles(weekday As Integer, noToReturn As Integer, weeksBack As Integer)` *As ArticleInfos*
 - *Weekdays (0 any, 1 Monday, ..., 7 Sunday)*
- `GetArticles(articleGroup1Id As Integer, articleGroup2Id As Integer, articleGroup3Id As Integer)` *As ArticleInfos*
- `GetArticle(articleId As Integer)` *As ArticleInfo*
- `GetArticleGroups()` *As ArticleGroups*
- `SetOrderLineAlternative(index As Integer, alternativeId As Integer, value As Boolean)` *As Boolean*
- `GetOrderField(fieldName As String)` *As Object*
- `GetOrderLineField(index As Integer, fieldName As String)` *As Object*
- `GetArticleField(articleNo As String, fieldName As String)` *As Object*
- `GetSetup()` *As Setup*
- `Close()`
- *Functions to store settings in database*
 - Generate a GUID to identify your program.*
 - You can store strings. For example, JSON or BASE64 of some object.*
 - `PutValue(program As Guid, key As String, value As String)` *As Boolean*
 - `GetValue(program As Guid, key As String)` *As String*

Objects:

- FavouritePages
 - Length As Integer
 - Item(index As Integer) As FavouritePage
- FavouritePage
 - Name As String
 - Articles As ArticleInfos
- ArticleInfos
 - Length As Integer
 - Item(index As Integer) As ArticleInfo
- ArticleInfo
 - ArticleNo As String
 - Name As String
 - Price As Decimal
 - AlternativeVatPrice As Decimal
 - CountFromScale As Boolean
 - Base64Image As String
 - Base64ImageSrc As String
 - returns data:image/jpeg;base64,<Base64Image>*
 - Alternatives As Alternatives
 - DoNotAskForPrice As Boolean
 - Status As ArticleStatusEnum
 - 0 - Active
 - 1 - Passive
 - 2 - Expired
 - 3 - Blocked
 - FirstEanNo As String
 - UnitName As String
 - PriceUnit As String
 - PriceUnitPrice As Double
 - PriceUnitAmount As Double
 - StockControl As Boolean
 - NutritionFacts As NutritionInfo
 - Description As String
 - ArticleGroup1Id As Integer
 - ArticleGroup2Id As Integer
 - ArticleGroup3Id As Integer
- Order
 - Customer As String
 - Employee As String
 - Reference As String
 - AlternativeTax As Boolean
 - Orderlines As OrderLines
- OrderLines
 - Length As Integer
 - Item(index As Integer) As OrderLine
- OrderLine
 - ArticleNo As String
 - Description As String
 - Count As Double
 - Price As Double
 - Discount As Double
 - Amount As Double
 - Info As String
- Alternatives
 - Length As Integer
 - Item(index As Integer) As Alternative
- Alternative
 - Id As Integer
 - Alternative As String
 - PriceChange As Decimal
- NutritionInfo
 - Energy As Decimal

- Fats [As Decimal](#)
- Saturates [As Decimal](#)
- Carbs [As Decimal](#)
- Sugars [As Decimal](#)
- Proteins [As Decimal](#)
- Salt [As Decimal](#)
- Ingredients [As String](#)
- Allergens [As AllergensEnum \(Flags\)](#)
 - *Gluten* = 1
 - *Crustaceans* = 2
 - *Eggs* = 4
 - *Fish* = 8
 - *Peanuts* = 16
 - *Soybeans* = 32
 - *Milk* = 64
 - *Nuts* = 128
 - *Celery* = 256
 - *Mustard* = 512
 - *Sesame* = 1024
 - *Sulphur* = 2048
 - *Lupin* = 4096
 - *Molluscs* = 8192
- Diet [As DietEnum](#)
 - *Omnivore* = 0
 - *Pescatarian* = 1
 - *Vegetarian* = 2
 - *Vegan* = 3
- [Setup](#)
 - Base64Logo [As String](#)
 - Base64LogoSrc [As String](#)
returns data:image/jpeg;base64,<Base64Logo>
 - PayByMobileActive [As Boolean](#)
 - PayByGiftcardActive [As Boolean](#)
 - PayActive [As Boolean](#)
- [ArticleGroups](#)
 - Length [As Integer](#)
 - Item(index [As Integer](#)) [As ArticleGroup](#)
- [ArticleGroup](#)
 - GroupLevel [As Integer](#)
 - Id [As Integer](#)
 - Name [As String](#)